

AFFIDAVIT OF PLUGGING AND FILLING WELL

Operator Well No.: No. 12
 Quadrangle: Garrett's Bend 7.5'
 County: Lincoln

<u> </u>	Deg. <u> </u>	Min. <u> </u>	Sec. <u> </u>
<u> </u>	Deg. <u> </u>	Min. <u> </u>	Sec. <u> </u>

RECEIVED
Office of Oil & Gas

~~MAY 28 2013~~

WV Department of
Environmental Protection

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
TINA L. PETHEL
HG Energy, LLC
5260 Dupont Road
Parkersburg, West Virginia 26101
My Commission Expires Nov. 12, 2017

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
DIANE SNODGRASS
Lease or Property Owner
433 SEVEN SPRINGS RD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5320
Well No.
SNODGRASS, DIANE
Farm

STATE INSPECTOR SUPERVISING PLUGGING

William F. Hunkeler 5-30-13

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 7th day of February, 2013 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 387'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 387' to 742'. Tagged top of 8 5/8" casing at 742'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 742' to 1220'. Left 478' of 8 5/8" casing in the hole from 742' to 1220'. 8 5/8" casing was parted at the following depths: 1006' to 1018', 818' to 820'. Continued to clean 7 7/8" hole from 1220' to 1441'. Tagged solid plug at 1441'. Cut 8 5/8" casing at the following depths: 920' and 1120'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 730' - 736'. Left 20' of 16" conductor casing in the hole from the surface to 20'.		16" Conductor	0'	20'
RECEIVED Office of Oil & Gas MAY 30 2013 WV Department of Environmental Protection				
<u>Cemented hole from 1441' back to surface as follows:</u> From 1441' to 936' with 107 sacks of SuperLite Cement. From 936' to 630' with 120 sacks of Super Tropic Cement with white dye. From 630' to surface with 317 sacks of SuperLite Cement. A total of 544 sacks of cement were used to fill the hole from 1441' back to surface. Cement did circulate at the surface.				
<u>Coal Seams</u>	<u>Description of Monument</u>			
<u>Pittsburgh</u>	<u>(741' - 747')</u>	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 27th day of February, 2013

And further deponents saith not.


Delbert Moore
Delbert Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 1st day of April 2013

Carole A. Mayle
Notary Public

My commission expires: 9-12-2017



Permit No. 47-049-02194-P
Well No. 5320

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26582
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26582
Address
DOUGLAS L AND KIMBERLY J CYPHERS
Lease or Property Owner
8 SMOKEY VALLEY ROAD, MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26582
Complete Address
CLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5156
Well No.
CYPHERS, DOUGLAS L & KIMB
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 4th day of March, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from the surface to 250'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 250' to 1145'. Drilled cement from 590' to 658'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1145' to 1165'. Tagged solid plug at 1165' with 3 1/2" drill pipe. Cleaned 9 7/8" hole through the Pittsburgh Coals seam from 722' to 728'. Left 17' of 16" conductor casing in the hole from the surface to 17'.		16" Conductor	0'	17'
Cemented hole from 1165' back to surface as follows: From 1165' to 928' with Superlite Cement. From 928' to 622' with 125 sacks of Thixotropic Cement w/ dye. From 622' to surface with Superlite Cement. A total of 394 sacks of Superlite Cement and 125 sacks of Thixotropic Cement was used to cement the hole from 1165' to surface. Cement did circulate at the surface.				
Coal Seams		Description of Monument		
PITTSBURGH	722' to 728'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 18th day of March, 2013

And further deponents saith not.


Mike Mitchell
Mike Mitchell

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 1st day of April 2013

Carol A. Mayle
Notary Public

My commission expires: 9-12-2017



Permit No. **47-49-02246-P**
Well No. **5156**

RECEIVED
Office of Oil & Gas
MAY 30 2013
WV Department of
Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
MARTHA A CYPHERS
Lease or Property Owner
1439 DENTS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
CLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5160
Well No.
CYPHERS, MARTHA A
Farm

STATE INSPECTOR SUPERVISING PLUGGING William H. Hensley 5-30-13

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 4th day of April, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from the surface to 268'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 268' to 1110'. Tag top of 7" casing at 1110'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole inside 7" casing from 1110' to 1891'. Cut 7" casing at the following depths: 1885', 1785', 1680', 1584', 1484, 1384', 1284' and 1198'. Left unknown amount of 7" casing in the hole from 1110' to unknown depth. Cleaned 9 7/8" hole through the Pittsburgh coal seam from 896' to 901'. Left 16' of 16" conductor casing in the hole from the surface to 16'.		16" Conductor 7" Casing	0' 0'	16' Unknown
RECEIVED Office of Oil & Gas MAY 30 2013 WV Department of Environmental Protection				
<u>Coal Seams</u>		<u>Description of Monument</u>		
<u>PITTSBURGH</u>	896' to 901'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 22nd day of April, 2013

And further deponents saith not.

Mike Mitchell
Mike Mitchell


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 21st day of May 2013

Carol A. Mayle
Notary Public

My commission expires: 9-12-17

Permit No. 47-49-02252-P
Well No. 5160



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26582
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26582
Address

CONSOLIDATION COAL COMPANY
Lease or Property Owner
1 BRIDGE STREET, MONONGAH 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26582
Complete Address
CLOVER GAP 7.6'
Well Location
MANNINGTON
District
MARION
County
5017
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING

William H. Haskins 5-30-13

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19th day of March, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from the surface to 263'. Reduced hole to 9 7/8". Clean 9 7/8" hole from 263' to 1194'. Removed 7" junk casing at 897'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1194' to 1197'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 765' to 773'. Possible junk metal may remain in the coal seam. Left 15' of 16" conductor casing in the hole from the surface to 15'. <u>Cemented hole from 1197' back to surface as follows:</u> From 1197' to 973' with 100 sacks of Superlite Cement. From 973' to 665' with 145 sacks of Thixotropic Cement w/ dye. From 665' to surface with 340 sacks pf Superlite Cement. A total of 440 sacks of Superlite Cement and 145 sacks of Thixotropic Cement was used to cement the hole from 1197' to surface. Cement did circulate at the surface.	16" Conductor	0'	15'	
<div>RECEIVED Office of Oil & Gas MAY 30 2013 WV Department of Environmental Protection</div>				
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	765' to 773'	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

... And that the work of plugging and filling said well was completed on the 3rd day of April, 2013

And further deponents saith not.


Mike Mitchell
Mike Mitchell

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 29th day of April 2013

Carole A. Mayle
Notary Public

My commission expires: 9.12.2017



Permit No. 47-49-02253-P
Well No. 5017

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

WHEELING CREEK WATERSHED COMMISSION

Lease or Property Owner
1 BALLPARK DRIVE Mc MECHEN, WV 26040

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address
MAJORSVILLE, WV 7.5

Well Location
WEBSTER

District
MARSHALL

County
SGW-183

Well No.
WHEELING CREEK WATERSHED

Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19th day of April, 2013 and that the well was plugged in the following manner:


Sand or Zone Record	Filling Material	Plugs Used	Casing Pulled	Casing Left In
Formation		Size & Kind		
Cleaned inside of 4 1/2" casing from the surface to 1698'. Tagged solid plug at 1698'. Cut 4 1/2" casing at the following depths: 1580', 1480', 1380', 1280', 1180', 1080', 980', 837', 802' and 738'. Perforated casing with 6 shots at the following depths: 1500', 1400', 1300', 1200', 1100', 1000', 900' and 800'. Cemented bottom hole from 1698' to 757' with 65 sacks of Expandable Cement with Gas Blocker additive. Removed 694' to 4 1/2" casing from the hole from the surface to 694'. Left 995' of 4 1/2" casing in the hole from 694' to 1689' due to casing being bonded in the hole. Removed 689' of 7" casing from the hole from the surface to 689'. Left 903' of 7" casing in the hole from 689' to 1592'. Removed 688' of 8 5/8" casing from the hole from the surface to 688'. Left 394' of 8 5/8" casing in the hole from 688' to 1082'. Removed all 10 1/2" casing from the hole from the surface to 521'. Cleaned 12 1/2" hole through the Pittsburgh Coal seam from 486' to 494'. Left 10' of 16" conductor casing in the hole from the surface to 10'.		16" Casing	0'	10'
		10 3/4" Casing	521'	0'
		8 5/8" Casing	688'	394'
		7" Casing	689'	903'
		4 1/2" Casing	694'	995'
<u>Cemented hole from top of bottom hole plug at 757' to surface as follows:</u> From 757' to 386' with 210 sacks of Thixotropic Cement with green dye. From 386' to the surface with 280 sacks of Expandable Cement. Cement did circulate at the surface. A total of 555 sacks of cement was used cement the hole from 1698' to the surface.		RECEIVED Office of Oil & Gas MAY 30 2013 WV Department of Environmental Protection		
Coal Seams				
Pittsburgh Coal	486' to 494'			
(Name)				
(Name)		Description of Monument		
(Name)		77" of 7" casing w/ company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker attached to the cement		
(Name)		plug at ground level.		

... and that the work of plugging and filling said well was completed on the 7th day of May, 2013

And further deponents saith not.

Sworn to and subscribed before me this 20th day of May 2013

My commission expires: 9-12-17



Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

Carol A. Mayle
Notary Public

Permit No. 47-051-00185-P
Well No. SGW-183

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Coal Operator or Owner

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Coal Operator or Owner

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address

CHARLES ALBERT WITSBERGER II

Lease or Property Owner

250 DRY RIDGE ROAD, CAMERON, WV 26033

Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Name of Well Operator

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address

MAJORSVILLE, WV 7.5

Well Location

WEBSTER

District

MARSHALL

County

SGW-151

Well No.

WITSBERGER, CHARLES ALBERT

Farm

STATE INSPECTOR SUPERVISING PLUGGING

William H. Hockley 5-29-13

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 4th day of April, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Plugs Used	Casing Pulled	Casing Left In
Formation		Size & Kind		
Cleaned inside 4 ½" casing from the surface to 1847'. Tagged solid plug at 1847'. Cut 4 ½" casing at the following depths: 1634', 1540', 1448', 1355', 1261', 1166', 1043' and 218'. Section Milled a 10' window in the 4 ½" casing from 1740' to 1750'. Perforated the pipe with six shots at the following depths: 1650', 1530', 1440', 1340', 1220', 1130' and 1030'. Cemented bottom hole from 1847' to 955' with 50 sacks of Expandable Cement with Gas Blocker additive. Jet cut 4 ½" casing, 7" casing, 8 5/8" casing, and 10 ¾" casing at the following depths: 911', 861', 811', 761', 712, 709.5, 707', 704.5', 702', 649', 646.5', 644' and 555'. Jet cut 4 ½" casing, 7" casing, 8 5/8" casing and 10 ¾" casing through the Pittsburgh Coal seam from 705' to 711'.		13" Casing	0'	72'
		10 3/4" Casing	0'	732'
		8 5/8" Casing	0'	1344'
		7" Casing	0'	1735'
		4 ½" Casing	0'	1846'
<u>Cemented hole from the top of the bottom hole plug at 955' back to surface as follows;</u> From 955' to 605' with 35 sacks of Thixotropic Cement with green dye. From 605' to the surface with 55 sacks of Expandable Cement. Cement did circulate at the surface.		<div>RECEIVED</div> <div>Office of Oil & Gas</div> <div>MAY 30 2013</div> <div>WV Department of Environmental Protection</div>		
Coal Seams		Description of Monument		
Pittsburgh Coal	705' to 711'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

... and that the work of plugging and filling said well was completed on the 18th day of April, 2013.


And further deponents saith not.

Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 6th day of May 2013

My commission expires: 9-12-2017



Carol A. Mayle
Notary Public

Permit No. 47-051-00379-P
Well No. SGW-151

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Coal Operator or Owner

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Coal Operator or Owner

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address

CHARLES ALBERT WITSBERGER II

Lease or Property Owner

250 DRY RIDGE ROAD, CAMERON, WV 26033

Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Name of Well Operator

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address

MAJORSVILLE, WV 7.5

Well Location

WEBSTER

District

MARSHALL

County

SGW-152

Well No.

CHARLES ALBERT WITSBERGER

Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 21st day of March, 2013 and that the well was plugged in the following manner:


Sand or Zone Record Formation	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Cleaned 7 7/8" hole from the surface to 925'. Tagged solid plug at 925'. Left 805' of 8 5/8" casing in the hole from the surface to 805'. 8 5/8" casing was bonded. Section milled 20' window in 8 5/8" casing from 706' to 726'. Cut 8 5/8" casing at the following depths: 669', 570', 243' and 145'. Section milled 8 5/8" casing through the Pittsburgh Coal seam from 712' to 719'. Left 10' of 16" conductor casing in the hole from the surface to 10'.		16" Casing 8 5/8" Casing	0' 0'	10' 805'
RECEIVED Office of Oil & Gas MAY 30 2013 WV Department of Environmental Protection				
Coal Seams	Description of Monument			
Pittsburgh Coal	712' to 719'	77" of 7" casing w/ company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker attached to the cement		
(Name)		plug at ground level.		

... and that the work of plugging and filling said well was completed on the 4th day of April, 2013

And further deponents saith not.

Sworn to and subscribed before me this 22nd day of April 2013

My commission expires August 18, 2017



Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

[Signature]
Notary Public

Permit No. 47-051-00468-P
Well No. SGW-152

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

MCELROY COAL COMPANY
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
MCELROY COAL COMPANY
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
MCELROY COAL COMPANY
Lease or Property Owner
6126 ENERGY DRIVE, MOUNDSVILLE, WV 26041
Address

MCELROY COAL COMPANY
Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address
CAMERON, WV 7.5'
Well Location
CAMERON
District
MARSHALL
County
M-1561
Well No.
MCELROY COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Michael H. [Signature]* 5-29-13

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of May, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/4" hole from the surface to 281'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 281' to 945'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 945' to 1165'. Tagged solid plug at 1165'. Cleaned 12 1/4" hole through the Pittsburgh Coal seam from 656' to 661'. Left 20' to 16" conductor casing in the hole from the surface to 20'. Cemented hole from 1165' to surface as follows: From 1165' to 861' with Expandable Cement. From 861' to 556' with 235 sacks of Thixotropic Cement with green dye. From 556' to surface with Expandable Cement. A total of 565 sacks of Expandable Cement and 290 sacks of Thixotropic Cement were used to cement the hole from 1165' to surface. Cement did circulate at the surface.	16" Conductor	0'	20'	
		RECEIVED Office of Oil & Gas MAY 30 2013 WV Department Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(656' - 661')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

RECEIVED
Office of Oil & Gas
MAY 30 2013
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 22nd day of May, 2013

And further deponents saith not.


Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 29th day of May 2013

Carol A. Mayle
Notary Public

My commission expires: 9-12-2017



Permit No. 47-51-01624-P
Well No. M-1561

Rev (5-01)

WR-38

DATE: 05/01/13

API#

47-085-03662

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Harry ShafferOperator Well No.: Shaffer 1

LOCATION: Elevation: 900
District: Clay
Latitude: Feet South of Deg. Min. Sec.
Longitude: Feet West of Deg. Min. Sec.

Quadrangle: Pennsboro
County: Ritchie

Well Type: OIL GAS X

Company: J F Deem Oil & Gas Co
4541 Emerson Avenue
Parkersburg, WV 26104

Coal Operator
or Owner Agent: J F DeemCoal Operator
or Owner Permit Issued Date: 2/8/2013

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Ritchie ss:


Kyle D. Perkins and Carl McQuillan being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and David Cowan, Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 18th day of April, 2013, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1950	1650	4 1/2 0	2000
Gel	1650	900	8 5/8 0	296
Cement	900	800	4 1/2 & 8 5/8 cmtd	
Gel	800	410	together @ surf. Unable to	break free. Perf 4 1/2
Cement	410	surface	860-850 (10 holes) 410-400	(10 holes) & 13-10
			(3 holes) Circ cmt to surf	
Note: 6% gel placed between cement plugs				

Description of monument: 8" casing extending 30" above surface and that the work of plugging and filling said well was completed on the 30th day of April, 2013
And further deponents saith not.

Sworn and subscribed before me this 1st day of May, 2013My commission expires: June 7, 2020

Notary Public

Oil and Gas Inspector: David Cowan

Received

MAY 22 2013

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: Haymond, Annie (Life) Operator Well No.: Anna Unit 3H

Well Type: OIL _____ GAS X

Agent Dianna Stamper - CT Corporation System Coal Operator RECEIVED
 Permit Issued Date 2/24/2013 (Verbal) or Owner Office of Oil & Gas

MAY 23 2013

STATE OF WEST VIRGINIA,
County of Ritchie ss:

Ricky Jones *Ricky Jones* and Terry Wyckoff *Terry Wyckoff* being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 24 day of February, 2013, and the well was plugged and filled in the following manner:

**WV Department of
Environmental Protection**


TYPE	FROM	TO	PIPE REMOVED	LEFT
FISH IN HOLE @ 2589'				
			CEMENT USED	
Cement Plug	2586'	2400'	99 sx Class A	
Cement Plug	480'	260'	80 sx Class A	
Cement Plug	103'	3'	CTS -42 sx Class A	

Description of monument: Welded cap and stand pipe with monument with API# and that the work of plugging and filling said well was completed on the 25 day of February, 2013.

And further deponents saith not.

Sworn and subscribe before me this 1st day of March, 20 13

My commission expires: 3/17/19



Affidavit reviewed by the Office of Oil and Gas.

Title:

WR-38
DATE:

API # 47-107-01744-P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Anderson Operator Well No.: Anderson#1

LOCATION: Elevation: 726' Quadrangle: Willow Island
District: Union County: Wood
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL X GAS _____

Company: WVDEP Plugging _____ Coal Operator _____
601 57th Street _____ or Owner _____
Charleston, WV 25301 _____

Agent: James Martin Coal Operator _____
or Owner _____

Permit Issued Date: 12/13/2012

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Roane ss:

Randy Dustin and Daniel Duckworth being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Dave Gilbert Oil and Gas Inspector representing the Director, say that said work was commenced on the 2nd day of January, 2013, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	800	650	800 Feet 23/8	0
Cement	325	175	200 Feet 65/8"	Undetermined
Cement	100	Surface		
Well T.D. 800	Gel Between cement plugs			
Erect a	Monument	With the	API attached	

RECEIVED
Office of Oil & Gas
MAY 29 2013

WV Department of
Environmental Protection

Description of monument: 6 to well w/the API number attached and that the work of plugging and filling said well was completed on the 16th day of January, 2013.

And further deponents saith not. _____

Sworn and subscribe before me this _____ day of _____, 19____
My commission expires: _____

Notary Public

Oil and Gas Inspector: Dave Gilbert 1/16 /13 _____

WR-38
DATE:

API # 47-107-01745-P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Anderson Operator Well No.: Anderson#2

LOCATION: Elevation: 717' Quadrangle: Valley Mills
District: Union County: Wood
Latitude: Feet South of Deg. Min. Sec.
Longitude: Feet West of Deg. Min. Sec.

Well Type: OIL X GAS

Company: WVDEP Plugging
601 57th Street
Charleston, WV 25301

Coal Operator
or Owner

Coal Operator
or Owner

Agent: James Martin

Permit Issued Date: 1/5/2013

RECEIVED
Office of Oil & Gas

MAY 29 2013

AFFIDAVIT

**WV Department of
Environmental Protection**

STATE OF WEST VIRGINIA,
County of Wood ss:

Randy Dustin and Daniel Duckworth being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Dave Gilbert Oil and Gas Inspector representing the Director, say that said work was commenced on the 22nd day of January, 2013, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	824	665	800 Feet 23/8	0
Cement	465	260	370 Feet 65/8"	Undetermined
Cement	105	Surface	96 8 Inch	Undetermined
Well T.D. 824	Gel Between cement plugs			
Erect a	Monument	With the	API attached	

Description of monument: 6 to well w/the API number attached and that the work of plugging and filling said well was completed on the 13th day of February, 2013.

And further deponents saith not. _____

Sworn and subscribe before me this _____ day of _____, 19____

My commission expires: _____

Notary Public

Oil and Gas Inspector: Dave Gilbert 2/13 /13 _____